



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search  for

☒ Limits ☐ Preview/Index ☐ History ☐ Clipboard ☐ Details

About Entrez

Limits: Publication Date to 2001/03/01

Text Version

Show:  Sort:

Items 1-20 of 27

Page  of 2 Ne

Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

Related Resources

Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

Privacy Policy

☐ 1: [Bulaj G, Goldenberg DP.](#) [Related Articles](#), [Li](#)

☐ Early events in the disulfide-coupled folding of BPTI.  
Protein Sci. 1999 Sep;8(9):1825-42.  
PMID: 10493584 [PubMed - indexed for MEDLINE]

☐ 2: [Kowalski JM, Parekh RN, Mao J, Wittup KD.](#) [Related Articles](#), [Li](#)

☐ Protein folding stability can determine the efficiency of escape from endoplasmic reticulum quality control.  
J Biol Chem. 1998 Jul 31;273(31):19453-8.  
PMID: 9677365 [PubMed - indexed for MEDLINE]

☐ 3: [Lu W, Starovasnik MA, Kent SB.](#) [Related Articles](#), [Li](#)

☐ Total chemical synthesis of bovine pancreatic trypsin inhibitor by native chemical ligation.  
FEBS Lett. 1998 Jun 5;429(1):31-5.  
PMID: 9657378 [PubMed - indexed for MEDLINE]

☐ 4: [Krokoszynska I, Dadlez M, Otlewski J.](#) [Related Articles](#), [Li](#)

☐ Structure of single-disulfide variants of bovine pancreatic trypsin inhibitor (BPTI) as probed by their binding to bovine beta-trypsin.  
J Mol Biol. 1998 Jan 23;275(3):503-13.  
PMID: 9466927 [PubMed - indexed for MEDLINE]

☐ 5: [Zhang JX, Goldenberg DP.](#) [Related Articles](#), [Li](#)

☐ Mutational analysis of the BPTI folding pathway: I. Effects of aromatic-->leucine substitutions on the distribution of folding intermediates.  
Protein Sci. 1997 Jul;6(7):1549-62.  
PMID: 9232656 [PubMed - indexed for MEDLINE]










☐ 6: [Ma LC, Anderson S.](#) [Related Articles](#), [Li](#)


☐ Correlation between disulfide reduction and conformational unfolding in bovine pancreatic trypsin inhibitor.  
Biochemistry. 1997 Mar 25;36(12):3728-36.  
PMID: 9132026 [PubMed - indexed for MEDLINE]

☐ 7: [Mirny L, Domany E.](#) [Related Articles](#), [Li](#)

☐ Protein fold recognition and dynamics in the space of contact maps.  
Proteins. 1996 Dec;26(4):391-410.  
PMID: 8990495 [PubMed - indexed for MEDLINE]


☐ 8: [Kortemme T, Hollecker M, Kemmink J, Creighton TE.](#) [Related Articles](#), [Li](#)

-  Comparison of the (30-51, 14-38) two-disulphide folding intermediates of the homologous proteins dendrotoxin K and bovine pancreatic trypsin inhibitor by two-dimensional <sup>1</sup>H nuclear magnetic resonance.  
J Mol Biol. 1996 Mar 22;257(1):188-98.  
PMID: 8632454 [PubMed - indexed for MEDLINE]
- ☐ **9:** [Creighton TE, Darby NJ, Kemmink J.](#) Related Articles, Li
-  The roles of partly folded intermediates in protein folding.  
FASEB J. 1996 Jan;10(1):110-8. Review.  
PMID: 8566531 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Darby NJ, Morin PE, Talbo G, Creighton TE.](#) Related Articles, Li
-  Refolding of bovine pancreatic trypsin inhibitor via non-native disulphide intermediate  
J Mol Biol. 1995 Jun 2;249(2):463-77.  
PMID: 7540214 [PubMed - indexed for MEDLINE]
- ☐ **11:** [Zapun A, Creighton TE.](#) Related Articles, Li
-  Effects of DsbA on the disulfide folding of bovine pancreatic trypsin inhibitor and alpha lactalbumin.  
Biochemistry. 1994 May 3;33(17):5202-11.  
PMID: 7513556 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Mendoza JA, Jarstfer MB, Goldenberg DP.](#) Related Articles, Li
-  Effects of amino acid replacements on the reductive unfolding kinetics of pancreatic trypsin inhibitor.  
Biochemistry. 1994 Feb 8;33(5):1143-8.  
PMID: 7509189 [PubMed - indexed for MEDLINE]
- ☐ **13:** [van Mierlo CP, Kemmink J, Neuhaus D, Darby NJ, Creighton TE.](#) Related Articles, Li
-  <sup>1</sup>H NMR analysis of the partly-folded non-native two-disulphide intermediates (30-51 14) and (30-51,5-38) in the folding pathway of bovine pancreatic trypsin inhibitor.  
J Mol Biol. 1994 Jan 21;235(3):1044-61.  
PMID: 7507172 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Zhang JX, Goldenberg DP.](#) Related Articles, Li
-  Amino acid replacement that eliminates kinetic traps in the folding pathway of pancreatic trypsin inhibitor.  
Biochemistry. 1993 Dec 28;32(51):14075-81.  
PMID: 7505111 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Hao MH, Pincus MR, Rackovsky S, Scheraga HA.](#) Related Articles, Li
-  Unfolding and refolding of the native structure of bovine pancreatic trypsin inhibitor studied by computer simulations.  
Biochemistry. 1993 Sep 21;32(37):9614-31.  
PMID: 7690589 [PubMed - indexed for MEDLINE]
- ☐ **16:** [Creighton TE, Bagley CJ, Cooper L, Darby NJ, Freedman RB, Kemmink J, Sheikh A.](#) Related Articles, Li
-  On the biosynthesis of bovine pancreatic trypsin inhibitor (BPTI). Structure, processing folding and disulphide bond formation of the precursor in vitro and in microsomes.  
J Mol Biol. 1993 Aug 20;232(4):1176-96.  
PMID: 7690407 [PubMed - indexed for MEDLINE]
- ☐ **17:** [Darby NJ, Creighton TE.](#) Related Articles, Li

-  Dissecting the disulphide-coupled folding pathway of bovine pancreatic trypsin inhibitor. Forming the first disulphide bonds in analogues of the reduced protein.  
J Mol Biol. 1993 Aug 5;232(3):873-96.  
PMID: 7689114 [PubMed - indexed for MEDLINE]


☐ **18:** [Goldenberg DP.](#)

[Related Articles, Li](#)

-  Native and non-native intermediates in the BPTI folding pathway.  
Trends Biochem Sci. 1992 Jul;17(7):257-61. Review. Erratum in: Trends Biochem Sci 1992 Sep;17(9):339.  
PMID: 1380192 [PubMed - indexed for MEDLINE]


☐ **19:** [Darby NJ, van Mierlo CP, Scott GH, Neuhaus D, Creighton TE.](#)

[Related Articles, Li](#)

-  Kinetic roles and conformational properties of the non-native two-disulphide intermediates in the refolding of bovine pancreatic trypsin inhibitor.  
J Mol Biol. 1992 Apr 20;224(4):905-11.  
PMID: 1373775 [PubMed - indexed for MEDLINE]

☐ **20:** [Altman JD, Henner D, Nilsson B, Anderson S, Kuntz ID.](#)

[Related Articles, Li](#)

-  Intracellular expression of BPTI fusion proteins and single column cleavage/affinity purification by chymotrypsin.  
Protein Eng. 1991 Jun;4(5):593-600.  
PMID: 1716367 [PubMed - indexed for MEDLINE]

**Display**

Items 1-20 of 27

**Page**  of 2 [Ne](#)


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jan 29 2004 15:



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for [ ] Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

Items 1-20 of 169

Page 1 of 9 Ne

Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

Related Resources

Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

Privacy Policy

☐ 1: [Lu W, Starovasnik MA, Kent SB.](#)

Related Articles, Li



Total chemical synthesis of bovine pancreatic trypsin inhibitor by native chemical ligation.

FEBS Lett. 1998 Jun 5;429(1):31-5.

PMID: 9657378 [PubMed - indexed for MEDLINE]

☐ 2: [Bark SJ, Kent SB.](#)

Related Articles, Li



Engineering an unnatural Nalpha-anchored disulfide into BPTI by total chemical synthesis: structural and functional consequences.

FEBS Lett. 1999 Oct 22;460(1):67-76.

PMID: 10571063 [PubMed - indexed for MEDLINE]

☐ 3: [States DJ, Dobson CM, Karplus M.](#)

Related Articles, Li



A new two-disulphide intermediate in the refolding of reduced bovine pancreatic trypsin inhibitor.

J Mol Biol. 1984 Apr 5;174(2):411-8.

PMID: 6201619 [PubMed - indexed for MEDLINE]

☐ 4: [Staley JP, Kim PS.](#)

Related Articles, Li



Role of a subdomain in the folding of bovine pancreatic trypsin inhibitor.

Nature. 1990 Apr 12;344(6267):685-8.

PMID: 1691452 [PubMed - indexed for MEDLINE]

☐ 5: [Staley JP, Kim PS.](#)

Related Articles, Li



Formation of a native-like subdomain in a partially folded intermediate of bovine pancreatic trypsin inhibitor.

Protein Sci. 1994 Oct;3(10):1822-32.

PMID: 7531529 [PubMed - indexed for MEDLINE]

☐ 6: [Busetta B, Picard P, Precigoux G.](#)

Related Articles, Li



Influence of thermal motion on <sup>1</sup>H chemical shifts in proteins: the case of bovine pancreatic trypsin inhibitor.

J Pept Sci. 2001 Mar;7(3):121-7.

PMID: 11297347 [PubMed - indexed for MEDLINE]

☐ 7: [Ferrer M, Woodward C, Barany G.](#)










Related Articles, Li



Solid-phase synthesis of bovine pancreatic trypsin inhibitor (BPTI) and two analogues. chemical approach for evaluating the role of disulfide bridges in protein folding and stability.

Int J Pept Protein Res. 1992 Sep-Oct;40(3-4):194-207.

PMID: 1282503 [PubMed - indexed for MEDLINE]

- ☐ **8:** [Kortemme T, Hollecker M, Kemmink J, Creighton TE.](#) Related Articles, Li  
 Comparison of the (30-51, 14-38) two-disulphide folding intermediates of the homologous proteins dendrotoxin K and bovine pancreatic trypsin inhibitor by two-dimensional <sup>1</sup>H nuclear magnetic resonance.  
 J Mol Biol. 1996 Mar 22;257(1):188-98.  
 PMID: 8632454 [PubMed - indexed for MEDLINE]
- ☐ **9:** [Kuroda Y, Kim PS.](#) Related Articles, Li  
 Folding of bovine pancreatic trypsin inhibitor (BPTI) variants in which almost half the residues are alanine.  
 J Mol Biol. 2000 May 5;298(3):493-501.  
 PMID: 10772865 [PubMed - indexed for MEDLINE]
- ☐ **10:** [States DJ, Dobson CM, Karplus M, Creighton TE.](#) Related Articles, Li  
 A conformational isomer of bovine pancreatic trypsin inhibitor protein produced by refolding.  
 Nature. 1980 Aug 7;286(5773):630-2.  
 PMID: 7402343 [PubMed - indexed for MEDLINE]
- ☐ **11:** [Darby NJ, van Mierlo CP, Scott GH, Neuhaus D, Creighton TE.](#) Related Articles, Li  
 Kinetic roles and conformational properties of the non-native two-disulphide intermediates in the refolding of bovine pancreatic trypsin inhibitor.  
 J Mol Biol. 1992 Apr 20;224(4):905-11.  
 PMID: 1373775 [PubMed - indexed for MEDLINE]
- ☐ **12:** [van Mierlo CP, Kemmink J, Neuhaus D, Darby NJ, Creighton TE.](#) Related Articles, Li  
 <sup>1</sup>H NMR analysis of the partly-folded non-native two-disulphide intermediates (30-51 14) and (30-51,5-38) in the folding pathway of bovine pancreatic trypsin inhibitor.  
 J Mol Biol. 1994 Jan 21;235(3):1044-61.  
 PMID: 7507172 [PubMed - indexed for MEDLINE]
- ☐ **13:** [Hurle MR, Anderson S, Kuntz ID.](#) Related Articles, Li  
 Confirmation of the predicted source of a slow folding reaction: proline 8 of bovine pancreatic trypsin inhibitor.  
 Protein Eng. 1991 Apr;4(4):451-5.  
 PMID: 1881870 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Dadlez M, Kim PS.](#) Related Articles, Li  
 A third native one-disulphide intermediate in the folding of bovine pancreatic trypsin inhibitor.  
 Nat Struct Biol. 1995 Aug;2(8):674-9.  
 PMID: 7552729 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Zhang JX, Goldenberg DP.](#) Related Articles, Li  
 Mutational analysis of the BPTI folding pathway: I. Effects of aromatic-->leucine substitutions on the distribution of folding intermediates.  
 Protein Sci. 1997 Jul;6(7):1549-62.  
 PMID: 9232656 [PubMed - indexed for MEDLINE]
- ☐ **16:** [Ma LC, Anderson S.](#) Related Articles, Li  
 Correlation between disulfide reduction and conformational unfolding in bovine pancreatic trypsin inhibitor.  
 Biochemistry. 1997 Mar 25;36(12):3728-36.

PMID: 9132026 [PubMed - indexed for MEDLINE]

☐ 17: [Brandt P, Woodward C.](#)

[Related Articles](#), [Li](#)



Hydrogen exchange kinetics of bovine pancreatic trypsin inhibitor beta-sheet protons in trypsin-bovine pancreatic trypsin inhibitor, trypsinogen-bovine pancreatic trypsin inhibitor, and trypsinogen-isoleucylvaline-bovine pancreatic trypsin inhibitor.

Biochemistry. 1987 Jun 2;26(11):3156-67.

PMID: 2440473 [PubMed - indexed for MEDLINE]

☐ 18: [Chang J, Ballatore A.](#)

[Related Articles](#), [Li](#)



The structure of denatured bovine pancreatic trypsin inhibitor (BPTI).

FEBS Lett. 2000 May 12;473(2):183-7.

PMID: 10812071 [PubMed - indexed for MEDLINE]

☐ 19: [van Mierlo CP, Darby NJ, Neuhaus D, Creighton TE.](#)

[Related Articles](#), [Li](#)



(14-38, 30-51) double-disulphide intermediate in folding of bovine pancreatic trypsin inhibitor: a two-dimensional 1H nuclear magnetic resonance study.

J Mol Biol. 1991 Nov 20;222(2):353-71.

PMID: 1960731 [PubMed - indexed for MEDLINE]

☐ 20: [Bulaj G, Goldenberg DP.](#)

[Related Articles](#), [Li](#)



Phi-values for BPTI folding intermediates and implications for transition state analysis

Nat Struct Biol. 2001 Apr;8(4):326-30.

PMID: 11276252 [PubMed - indexed for MEDLINE]

**Display** **Summary**  Show: **20**  Sort  Send to **Text**

Items 1-20 of 169

**Page** **1** of 9 **Ne**

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jan 29 2004 15: .